Lamps > HALOGEN > MV CAPSULE > CLICKLINE

Features

UV block quartz glass
G9 base for easy insertion and replacement

Description

Single-ended mains-voltage capsule

Application

Accent and general lighting in homes, hotels, bars and restaurants

Benefits

The most compact capsule in its range
Mains voltage so no transformer needed
Available in a clear and a frosted version for softer light effects
Easily dimmable

Luminaires

Ideal for use in small, lightweight, open luminaires
A covered luminaire is not required according to IEC 357 and 432-2

PHILIPS

Packaging Information

Consumer Unit (EAN1)						Box (EAN3)			
Commercial Code	Product Description	Unit	EAN Code 1	Pieces Per	Dimensions in cm (L x H x W)	EAN Code 3	Pieces Per	Dimensions in cm (L x H x W)	MASTER
CLICK25W230VG9CL	CLICK 25W G9 230V CL 1CT/10X10F	PCE	8711500429513	1		8711500429537	100	27.1 x 14.7 x 14.8	
CLICK25W230VG9FR	CLICK 25W G9 230V FR 1CT/10X10F	PCE	8711500429544	1		8711500429568	100	27.0 x 8.0 x 27.0	
CLICK25W240VG9CL	CLICK 25W G9 240V CL 1CT/10X10F	PCE	8711500429759	1		8711500429773	100	27.1 x 8.2 x 27.1	
CLICK25W240VG9FR	CLICK 25W G9 240V FR 1CT/10X10F	PCE	8711500429780	1		8711500429803	100	27.1 x 8.2 x 27.1	
CLICK40W120VG9CL	CLICK 40W G9 120V CL 1CT/10X10F	PCE	8711500436887	1		8711500436900	100	27.1 x 8.2 x 27.1	
CLICK40W120VG9FR	CLICK 40W G9 120V FR 1CT/10X10F	PCE	8711500436917	1		8711500436931	100	27.1 x 8.2 x 27.1	
CLICK40W230VG9CL	CLICK 40W G9 230V CL 1CT/10X10F	PCE	8711500429575	1		8711500429599	100	27.0 x 15.5 x 15.2	
CLICK40W230VG9FR	CLICK 40W G9 230V FR 1CT/10X10F	PCE	8711500429605	1		8711500429629	100	27.0 x 8.0 x 27.0	
CLICK40W240VG9CL	CLICK 40W G9 240V CL 1CT/10X10F	PCE	8711500429810	1		8711500429834	100	27.1 x 8.2 x 27.1	
CLICK40W240VG9FR	CLICK 40W G9 240V FR 1CT/10X10F	PCE	8711500429841	1		8711500429865	100	27.0 x 8.0 x 27.0	
CLICK60W120VG9CL	CLICK 60W G9 120V CL 1CT/10X10F	PCE	8711500436979	1		8711500436993	100	27.1 x 8.2 x 27.1	
CLICK60W120VG9FR	CLICK 60W G9 120V FR 1CT/10X10F	PCE	8711500436948	1		8711500436962	100	27.1 x 8.2 x 27.1	
CLICK60W230VG9CL	CLICK 60W G9 230V CL 1CT/10X10F	PCE	8711500429636	1		8711500429650	100	27.0 x 8.0 x 27.0	
CLICK60W230VG9FR	CLICK 60W G9 230V FR 1CT/10X10F	PCE	8711500429667	1		8711500429681	100	27.0 x 15.5 x 15.2	
CLICK60W240VG9CL	CLICK 60W G9 240V CL 1CT/10X10F	PCE	8711500429872	1		8711500429896	100	27.1 x 8.2 x 27.1	
CLICK60W240VG9FR	CLICK 60W G9 240V FR 1CT/10X10F	PCE	8711500429902	1		8711500429926	100	27.1 x 8.2 x 27.1	

Technical Product Information

Commercial Code	Product Description	Volt (V)	Watt (W)	Finish	Cap	Color Temp. (K)	Color Descriptions	Lumen (Lm)	Beam Angle o ( )	CRI (Ra)	Avg. Life Hours
CLICK25W230VG9CL	CLICK 25W G9 230V CL 1CT/10X10F	230	25	CLEAR	G9	2770		290.0		100	

PHILIPS

CLICK25W230VG9FR	CLICK 25W G9 230V FR 1CT/10X10F	230	25	FROSTED	G9	2770		290.0	100
CLICK25W240VG9CL	CLICK 25W G9 240V CL 1CT/10X10F	240	25	CLEAR	G9	2770		290.0	100
CLICK25W240VG9FR	CLICK 25W G9 240V FR 1CT/10X10F	240	25	FROSTED	G9	2770		290.0	100
CLICK40W120VG9CL	CLICK 40W G9 120V CL 1CT/10X10F	120	40	CLEAR	G9	2770		460.0	100
CLICK40W120VG9FR	CLICK 40W G9 120V FR 1CT/10X10F	120	40	FROSTED	G9	2770		460.0	100
CLICK40W230VG9CL	CLICK 40W G9 230V CL 1CT/10X10F	230	40	CLEAR	G9	2770		490.0	100
CLICK40W230VG9FR	CLICK 40W G9 230V FR 1CT/10X10F	230	40	FROSTED	G9	2770		490.0	100
CLICK40W240VG9CL	CLICK 40W G9 240V CL 1CT/10X10F	240	40	CLEAR	G9	2770		490.0	100
CLICK40W240VG9FR	CLICK 40W G9 240V FR 1CT/10X10F	240	40	FROSTED	G9	2770		490.0	100
CLICK60W120VG9CL	CLICK 60W G9 120V CL 1CT/10X10F	120	60	CLEAR	G9	2800			100
CLICK60W120VG9FR	CLICK 60W G9 120V FR 1CT/10X10F	120	60	FROSTED	G9	2800			100
CLICK60W230VG9CL	CLICK 60W G9 230V CL 1CT/10X10F	230	60	CLEAR	G9	2800		820.0	100
CLICK60W230VG9FR	CLICK 60W G9 230V FR 1CT/10X10F	230	60	FROSTED	G9	2800		790.0	100
CLICK60W240VG9CL	CLICK 60W G9 240V CL 1CT/10X10F	240	60	CLEAR	G9	2800		820.0	100
CLICK60W240VG9FR	CLICK 60W G9 240V FR 1CT/10X10F	240	60	FROSTED	G9	2800		790.0	100

Dimension Diagram



Type	C	D
CLICK25W230VG9CL	43	13
CLICK25W230VG9FR	43	13

CLICK25W240VG9CL	43	13
CLICK25W240VG9FR	43	13
CLICK40W120VG9CL	43	13
CLICK40W120VG9FR	43	13
CLICK40W230VG9CL	43	13
CLICK40W230VG9FR	43	13
CLICK40W240VG9CL	43	13
CLICK40W240VG9FR	43	13
CLICK60W120VG9CL	43	13
CLICK60W120VG9FR	43	13
CLICK60W230VG9CL	43	13
CLICK60W230VG9FR	43	13
CLICK60W240VG9CL	43	13
CLICK60W240VG9FR	43	13